

WHAT IS CLAIMED IS:

1. An image display apparatus, comprising:
- an image data acquiring section for acquiring image data;
- an image display section having a plurality of substantially sheet-like image display mediums bundled and integrated for displaying images by using said image data obtained by said image data acquiring section;
- an image display mode setting device for setting an image display mode in displaying an image on an image display screen of each of the plurality of image display mediums of said image display section; and
- an image display adjusting section for adjusting a display image according to the image display mode set by said image display mode setting device.
2. The image display apparatus according to claim 1, wherein said image display mode setting device sets said image display mode by conducting at least one of a designation of the image display screen for image display of one image display medium from the plurality of said image display mediums, a designation of an image display position on the designated image display screen, a

6. The image display apparatus according to claim 1, wherein said image display adjusting section adjusts a display output of the display image according to a location environments.

a memory for storing said image data or voice data
annexed to said image display screen; and

8. The image display apparatus according to claim 1, further comprising a lens sheet provided on said image display screen of said image display medium.

9. The image display apparatus according to claim 8, wherein said lens sheet is a lenticular lens sheet or a

10. An image display method, comprising steps of:
bundling and integrating a plurality of substantially
sheet-like image display mediums for displaying images by
using image data; and
setting an image display mode indicative of a display
mode of an image on each of said image display mediums.

11. The image display method according to claim 10, wherein said image display mode is set by conducting at least one of a designation of the image display screen for image display of one image display medium from the plurality of said image display mediums, a designation of an image display position on the designated image display screen, a designation of a size of the display image, a designation of a direction of arranging the display image, a designation of a process of inverting the display image, a designation of a configuration of an outer frame of the display image, a designation of displaying a template image, a designation of compositing the template image and a designation of inputting a write comment.

12. The image display method according to claim 10,

•